

EDGELINE SERIES AWNING (PROJECT-OUT)

FEATURES

- ♦ Framing System
 - 3 ¼" main frame
 - Historically-correct bevel frame exterior
 - Minimum of 0.080" wall thickness
 - Dual Euro Groove System
 - Available with or without integral nailing fin
- ♦ Thermally Enhanced Design
 - Thermally-broken main frame and vent rails
 - Azon pour and debridge thermal break technology
- ♦ Glazing
 - 1" insulating glass
- ♦ Hardware
 - Maxim LP Locking System, 4-Bar Hinge and Roto Hardware on crank out model
 - Maxim LP Locking System, 4-Bar Hinge and Push/Pull Cup Hardware on push-out model
- ♦ Screen
 - Easily removable FlexScreen

BENEFITS

- The capacity to match exterior colors for unique project facades
- ♦ The ability to facilitate large sizes for taller and wider window openings

OPTIONS

- ♦ Available Configurations
 - Project-out Awning
 - Push-out or Crank-out
 - Continuous Frame
 - Floating Operator
 - Fixed
- ♦ Muntin Choices
 - Internal or simulated divided lites available
- ♦ Hardware
 - Limit Travel Accessories
- ♦ Screen
 - Wicket Screen (push-out model only)
- ♦ Glazing
 - Multiple Low-E and argon glazing choices
 - Glazing pocket can accept 1 3/8" insulating glass for sound attenuation purposes
 - Capillary tubes
 - Wide variety of glazing, tinting and thickness options
- ♦ Panning & Trim Choices
 - Wide variety of panning, receptor and trim available
- ♦ Mulling
 - Wide variety of structural mulls

PERFORMANCE

♦ Structural & Thermal (test reports or thermal simulations available upon request)

Model	Awning (Project-Out)
Test Size:	60" x 36"
NAFS Rating	CW-PG90-AP
Structural Load P.S.F.	135.33
Air at 25 MPH (cfm/ft²)	<0.30
Water (No Penetration) P.S.F.	12.11
U-Value (ranges based on multiple Low-E/Argon combinations)	0.40-0.44
SHGC (ranges based on multiple Low-E/Argon combinations)	0.14-0.48









ARCHITECTURAL PAINT COATINGS AND FINISHES

♦ Baked on powder coat finish meets AAMA 2604 (an FGIA specification) and is available in unlimited colors

• Quaker Impressive Palette of Colors



• 7 Resemble Colors (painted finish resembling anodized)




- Unlimited Custom Colors
- ♦ AAMA 2605 (an FGIA specification) powder coat finishes (not available for all colors shown)
- ♦ SolarLE Paint Finish (available with Textured Black and Dark Espresso colors only)
- AAMA 611-98 Class I (an FGIA specification) clear and tinted anodized finishes
- * Printed colors shown here may not accurately depict actual painted colors. Color samples are available upon request.





04/2021 - V3






EDGELINE AWNING WITHOUT NAILING FIN (CRANK OUT)

private use of Quaker.

© 2020 Quaker Window Products Co., INC. All rights reserved. Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.



















EDGELINE AWNING WITHOUT NAILING FIN (PUSH

private use of Quaker.

© 2020 Quaker Window Products Co., INC. All rights reserved. Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.







ELEVATION SCALE 3/4" = 1'-0"

SCALE 1:2
















EDGELINE AWNING/AWNING (CRANK OUT)


This document contains confidential and proprietary information intended for the private use of Quaker.

© 2020 Quaker Window Products Co., INC. All rights reserved.

Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.







SCALE 1:3

















EDGELINE AWNING/AWNING (PUSH OUT)

This document contains confidential and proprietary information intended for the private use of Quaker.

© 2020 Quaker Window Products Co., INC. All rights reserved.
Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.







SCALE I:3
















EDGELINE AWNING (CRANK OUT)/PIO

This document contains confidential and proprietary information intended for the private use of Quaker.

© 2020 Quaker Window Products Co., INC. All rights reserved.
Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.





















EDGELINE AWNING (CRANK OUT)/PICTURE WI


This document contains confidential and proprietary information intended for the private use of Quaker.

© 2020 Quaker Window Products Co., INC. All rights reserved.
Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.









ELEVATION SCALE 1/2" = 1'-0"

SCALE I:3
















EDGELINE PICTURE WINDOW/AWNING (PUSHO

private use of Quaker.



SCALE I:3

















EDGELINE PICTURE WINDOW/AWNING (PUSHO


private use of Quaker.

© 2020 Quaker Window Products Co., INC. All rights reserved.
Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.









ELEVATION SCALE 1/2" = 1'-0"

SCALE 1:3

















EDGELINE FLOATING OPERATOR (PICTURE WINDOW/AWNING)


This document contains confidential and proprietary information intended for the private use of Quaker.


© 2020 Quaker Window Products Co., INC. All rights reserved. Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.











SCALE I:3







